Parasite Prevention SOP

Work with your veterinarian to develop a parasite prevention program to control both internal and external parasites. Review the plan annually with your veterinarian and the employee(s) responsible for the program.

Farm:							
Age / Management Group	Risk for parasites App	Treatment: Product and Application or Practice (based on fecal exam)	Internal Parasite Products Withdrawal time		External Parasite Products Withdrawal time		Responsible
			Milk hours	Meat days	Milk hours	Meat days	Person(s)
YOUNG-STOCK & HIEFERS							
Calves 0-60 days	High for coccidia						
Calves 2-5 months	High coccidia High internal						
Calves 6-13 months	High coccidia High internal						
Pregnant heifers	Moderate coccidia High to Mod. internal						

- Industry guidelines suggest fecal exams should be performed yearly, preferably in late fall, at/or prior to freshening, or when a problem is noted (e.g. diarrhea, low body condition score etc.....).
- To get a representative picture of a group one should obtain 8 to 10 samples per 100 animals in a group. Sample all categories (e.g. cows, yearlings, replacement heifers, calves....).
- If the fecal sample can't be examined fresh, then refrigerate or put in a cooler with freezer packs. DO NOT freeze or leave in heat.

Veterinarian of Record Signature:	Date:	

Age / Management Group	Risk for parasites	Treatment: Product and Application or Practice (based on fecal exam)	Internal Parasite Products Withdrawal time		External Parasite Products Withdrawal time		Responsible	
			Milk hours	Meat days	Milk hours	Meat days	Person(s)	
Adult & Lactating Cattle								
Cows grazing in lactation	High internal							
Rotational grazing cows	High internal							
Cows grazing when dry	Moderate to high internal							
Cows with exercise lot access	Moderate internal							
Cows with dirt lot access	Moderate to low							
Cows on concrete or totally confined	Low to none							

vecerman and record digitation	Veterinarian of Record Signature:		Date:	
--------------------------------	-----------------------------------	--	-------	--

^{*}Source D .Bliss and G.H. Myers, "Parasite control strategies for dairy cattle in the 1990's." Hoeschst-Roussel Agri-vet
*Source D. Bliss and W.G. Kvasnicka, "The fecal examination: A Missing Link in Food Animal Practice." The Compendium April 1997